Topaz Marine Core Fleet

Easy Reference Guide

TOPAZ MARINE

Fleet List Index

3 ANCHOR HANDLING TUG SUPPLY VESSELS

CASPIAN CHALLENGER
CASPIAN ENDEAVOUR
CASPIAN POWER
CASPIAN RELIANCE
CASPIAN SUPPORTER
DMS 2000
DMS FORTUNE
ISLAY / JURA
TOPAZ ADDAX
TOPAZ DIGNITY / TOPAZ TRIUMPH
TOPAZ GLORY
TOPAZ JADDAF / TOPAZ JEBEL ALI
TOPAZ JAFILIYA / TOPAZ JUMEIRAH
TOPAZ JOHOR / TOPAZ JURONG
TOPAZ K-CLASS (KARAMA, KHALIDIYA, KHOBAR, KHUWAIR)
TOPAZ KARZAKKAN
TOPAZ KHUBAYB
TOPAZ LEGEND
TOPAZ MAMLAKA
TOPAZ ORYX
TOPAZ SALALAH
TOPAZ SHAHEEN
150-T AHTSV (Under construction)

9 EMERGENCY RESPONSE AND RECOVERY VESSELS

BAKI
CASPIAN PROTECTOR
TOPAZ RESPONDER
TULPAR

10 MULTI-PURPOSE SUPPORT VESSELS

DMS CHALLENGER
DMS CHALLENGER II
DMS CHALLENGER III
TOPAZ ARROW
TOPAZ CAPTAIN
TOPAZ COMMANDER
TOPAZ INSTALLER
TOPAZ RAYYAN
TOPAZ RESOLVE
TOPAZ TIAMAT / TOPAZ TANGAROA (Under construction)

13 PLATFORM SUPPLY VESSELS

CASPIAN PRIDE
CASPIAN PROVIDER
CASPIAN QALA
CASPIAN SERVER
CASPIAN SUPPLIER
CASPIAN VOYAGER
CITADEL
DMS CONQUEROR
DMS COURAGEOUS
FORTRESS
TOPAZ DAUGHTER CLASS (AMANI / FAYE / ISRA / MEGAN SEEMA / SOPHIE / XARA)

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

All the details are believed to be correct but not guaranteed and the owners reserve the right to amend them.

Last revision February 2017

Anchor Handling Tug Supply Vessels

CASPIAN CHALLENGER

LOA	78.3 m
Draft	6.9 m
BHP	17200 bhp
Bollard pull	188 t
Deck area / Cargo	530 m^2 / 900 t
Fuel	1064.5 m^3
Liquid mud	549.6 m^3
Fresh water	1134.7 m^3
Bulk	235.2 m^3
Dynamic positioning	Class 2, Rolls Royce ICON DP2
Accommodation	28 persons

Caspian Challenger / Built 2008
Class DNV 1A1, Tug Supply Vessel, ICE-C,OIL REC,CONF-V(3), SF,EO DYNPOS-AUTR, DK(+) HL (2.5)

CASPIAN ENDEAVOUR

LOA	78.3 m
Draft	6.9 m
BHP	17200 bhp
Bollard pull	193 t
Deck area / Cargo	530 m^2 / 900 t
Fuel	1064.5 m^3
Liquid mud	549.6 m^3
Fresh water	1134.7 m^3
Bulk	235.2 m^3
Dynamic positioning	Class 2, Rolls Royce ICON DP2
Accommodation	28 persons

Caspian Endeavour / Built 2009
Class DNV 1A1, Tug Supply Vessel, ICE-C,OIL REC,CONF-V(3), SF,EO DYNPOS-AUTR, DK(+) HL (2.5)

CASPIAN POWER

LOA	72.5 m
Draft	6 m
BHP	12069 bhp
Bollard pull	152 t
Deck area	420 m^2
Fuel	1150 m^3
Liquid mud	750 m^3
Fresh water	760 m^3
Bulk	305.82 m^3
FiFi system	Class 1
Accommodation	48 persons

Caspian Power / Built 2010
Class ABS +A1, Towing Vessel, FFC 1, OSV AH, (E), AMS, DPS-2

CASPIAN RELIANCE

LOA	64.35 m
Draft	5.1 m
BHP	7681 bhp
Bollard pull	90 t
Deck area	420 m^2
Fuel / Liquid mud	619 m^3 / 315 m^3
Fresh water	515 m^3
Bulk	187.2 m^3
Dynamic positioning	Class 2, Kongsberg DP2
FiFi system	Class 1
Accommodation	25 persons

Caspian Reliance / Built 2011
Class ABS

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Anchor Handling Tug Supply Vessels

CASPIAN SUPPORTER

LOA	72.5 m
Draft	6 m
BHP	12069 bhp
Bollard pull	152 t
Deck area	510 m^2
Fuel	1150 m^3
Liquid mud	750 m^3
Fresh water	760 m^3
Bulk	305.82 m^3
FiFi system	Class 1
Accommodation	48 persons

Caspian Supporter / Built 2010
Class ABS +A1, Towing Vessel, FFC 1, OSV AH, (E), AMS, DPS-2

DMS 2000

LOA	61 m
Draft	4.8 m
BHP	5300 bhp
Deck area / Cargo	320 m^2 / 500 t
Fuel	500 m^3
Liquid mud	200 m^3
Fresh water	600 m^3
Bulk	169 m^3
FiFi 1	Class 1
Accommodation	25 persons

DMS 2000 / Built 1999
Class ABS +A1, (E), Towing Vessel, FiFi Class 1, +AMS

DMS FORTUNE

LOA	57.5 m
Draft	4.5 m
BHP	4750 bhp
Bollard pull	60 t
Deck area / Cargo	380 m^2 / 600 t
Fuel	370 m^3
Liquid mud	256 m^3
Fresh water	200 m^3
Bulk	187 m^3
FiFi system	Class 1
Accommodation	42 persons

DMS Fortune / Built 2004
Class DNV-GL +1A1 Suppy Vessel Basic Fire Fighter 1

ISLAY / JURA

LOA	74.75 m
Draft	6.48 m
BHP	14790 bhp
Bollard pull	170 t
Deck area / Cargo	381 m^2
Cargo	600 t
Fuel	853 m^3
Liquid mud	428 m^3
Fresh water	564 m^3
Bulk	242.1 m^3
Accommodation	33 persons

Islay and Jura / Built 2002
Class DNV +1A1, Tug Supply Vessel, SF, EO, DK (+) HL (2.5)

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Anchor Handling Tug Supply Vessels

TOPAZ ADDAX

LOA	63 m
Draft	4.8 m
BHP	6500 bhp
Bollard pull	85 t
Deck area / Cargo	420 m² / 600 t
Fuel / Liquid mud	804 m³ / 410 m³
Fresh water	483 m³
Bulk	206 m³
FiFi system	Class 1
Accommodation	32 persons

Topaz Addax / Built 2010
Class DNV-GL +1A1, Fire Fighter (I), Supply Vessel, Tug, DK (+), HL (2.4), SF TMON

TOPAZ DIGNITY / TOPAZ TRIUMPH

LOA	67.4 m approx.
Draft	5.7 m approx.
BHP	7400 bhp
Bollard pull	80 t
Deck area / Cargo	400 m² / 900 t approx.
Fuel / Liquid mud	600 m³ / 600 m³ approx.
Fresh water	450 m³ approx.
Bulk	170 m³ approx.
Dynamic positioning	DP Class 2
FiFi system	Class 1
Accommodation	42 persons

Topaz Dignity and Topaz Triumph / Built 2012
Class ABS +A1, AHTSV / Towing Vessel, FiFi Vessel Class 1, (E), +AMS, +ABCU, +DPS-2, UWILD

TOPAZ GLORY

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	63.8 t
Deck area	350 m²
Fuel	528 m³
Liquid mud	413.7 m³
Fresh water	374.84 m³
Dynamic positioning	DP Class 1
FiFi system	Class 1
Accommodation	42 persons

Topaz Glory / Built 2010
Class ABS +A1, (E), FiFi Vessel Class 1, OSV, + AMS, +DPS-1

TOPAZ JADDAF / TOPAZ JEBEL ALI

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	65 t
Deck area / Cargo	350 m² / 500 t
Fuel / Liquid mud	536 m³ / 419 m³
Fresh water / Bulk	370 m³ / 187 m³
Dynamic positioning	Class 1, Kongsberg K-Pos DP 11
FiFi system	Class 1
Accommodation	46 persons

Topaz Jaddaf and Topaz Jebel Ali / Built 2008
Class ABS +A1, Towing Vessel, FiFi Vessel Class 1, OSV AH, Oil Recovery Vessel 2, (E), +AMS, +DPS-1

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Anchor Handling Tug Supply Vessels

TOPAZ JAFILIYA / TOPAZ JUMEIRAH

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	65 t
Deck area / Cargo	350 m^2 / 500 t
Fuel	536 m^3
Liquid mud	419 m^3
Fresh water	370 m^3
Bulk	187 m^3
FiFi system	Class 1
Accommodation	46 persons

TOPAZ JOHOR / TOPAZ JURONG

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	Johor 65 t / Jurong 63 t
Deck area / Cargo	340 m^2 / 500 t
Fuel / Liquid mud	536 m^3 / 411 m^3
Fresh water / Bulk	370 m^3 / 187 m^3
Dynamic positioning	Class 1
FiFi system	Class 1
Accommodation	42 persons

Topaz Johor and Topaz Jurong / Built 2010
Class ABS +A1, E, Towing Vessel, FiFi Vessel Class 1, OSV, +AMS, +DPS-1

TOPAZ K-CLASS (KARAMA, KHALIDIYA, KHOBAR, KHUWAIR)

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	65 t
Deck area / Cargo	350 m^2 / 500 t
Fuel / Liquid mud	540 m^3 / 380 m^3
Fresh water / Bulk	357 m^3 / 187 m^3
Oil recovery*	163 m^3
Dynamic positioning	Class 1
FiFi system	Class 1
Accommodation	42 persons

*Part of liquid mud capacity

Topaz K-Class / Built 2010
Class ABS +A1, Towing Vessel, AH, FiFi Vessel Class 1, OSV, Oil Recovery Vessel Class 2 , (E), +AMS

TOPAZ KARZAKKAN

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	70 t
Deck area / Cargo	350 m^2 / 500 t
Fuel / Liquid mud	540 m^3 / 380 m^3
Fresh water / Bulk	357 m^3 / 187 m^3
Dynamic positioning	Class 1
FiFi system	Class 1
Accommodation	46 persons

Topaz Karzakkan / Built 2011
Class ABS +A1, Towing Vessel, AH, FiFi Vessel Class 1, OSV, E, +AMS , +DPS-1

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Anchor Handling Tug Supply Vessels

TOPAZ KHUBAYB

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	65 t
Deck area / Cargo	350 m^2 / 500 t
Fuel / Liquid mud	540 m^3 / 380 m^3
Fresh water / Bulk	357 m^3 / 187 m^3
Dynamic positioning	Class 2
FiFi system	Class 1
Accommodation	46 persons

Topaz Khubayb / Built 2011
+A1, Towing Vessel, Anchor Handling Vessel, Fire Fighting Vessel Class 1, Offshore Support Vessel, E, +AMS, +DPS-2

TOPAZ LEGEND

LOA	59.25 m
Draft	4.95 m
BHP	5150 bhp
Bollard pull	82 t
Deck area	340 m^2
Fuel	528 m^3
Liquid mud	413.7 m^3
Fresh water	374.84 m^3
Dynamic positioning	Class 1
FiFi system	Class 1
Accommodation	42 persons

Topaz Legend / Built 2010
Class ABS + A1, (E), +AMS + DPS1, FiFi Vessel Class 1, OSV, Towing Vessel

TOPAZ MAMLAKA

LOA	61.8 m
Draft	4.5 m
BHP	5220 bhp
Bollard pull	60 t
Deck area / Cargo	410 m^2 / 600 t approx
Fuel / Liquid mud	527 m^3 / 398 m^3 approx
Fresh water / Bulk	413 m^3 / 160 m^3
Crane	7.5T @5m Deck cum Rescue crane Sekwang SKH RBPC
Dynamic positioning	Class 2
FiFi system	Class 1
Accommodation	42 persons

Topaz Mamlaka / Built 2015
ABS +A1, +AMS, Circle E, Offshore Support Vessel (AH, Tow, Supply HNLS, FFV1, DPS 2)

TOPAZ ORYX

LOA	63.4 m
Draft	4.8 m
BHP	6800 bhp
Bollard pull	85 t
Deck area / Cargo	420 m^2 / 600 t
Fuel	804 m^3
Liquid mud	410 m^3
Fresh water	484 m^3
Bulk	206 m^3
FiFi system	Class 1
Accommodation	28 persons

Topaz Oryx / Built 2007
Class DNV +1A1-SF-EO-DK(+) HL(2.4) TMON, Dynamic Positioning - AUT (DP 1) Kongsberg

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Anchor Handling Tug Supply Vessels

TOPAZ SALALAH

LOA	61 m
Draft	5.35 m
BHP	7200 bhp
Bollard pull	85 t
Deck area / Cargo	345 m^2 / 525 t
Fuel / Liquid mud	860 m^3 / 284 m^3
Fresh water / Bulk	786 m^3 / 185 m^3
Dynamic positioning	Class 1, NMS 6000 / L3
FiFi system	Class 1
Accommodation	42 persons

Topaz Salalah / Built 2000
Class DNV +1A1 + FiFi 1, DYNPOS AUT, DK (+), HL(2.0)

TOPAZ SHAHEEN

LOA	60 m
Draft	5.1 m
BHP	5220 bhp
Bollard pull	67 t
Deck area / Cargo	380 m^2 / 600 t
Fuel / Brine	530 m^3 / 84.8 m^3
Oil recovery / Liquid mud	192.9 m^3 / 92 m^3
Fresh water / Bulk	460 m^3 / 160 m^3
Dynamic positioning	Class 1
FiFi system	Class 1
Accommodation	26 persons

Topaz Shaheen / Built 2009
Class ABS +A1, Towing Vessel, AH, FiFi Vessel Class 1, OSV, Oil Recovery Vessel Class 1, (E), +AMS, DPS-1

150-T AHTSV (UNDER CONSTRUCTION)

LOA	78.2 m
Draft	6 m
BHP	12069 bhp
Bollard pull	150 t
Deck area / Cargo	600 m^2 / 600 t
Fuel / Liquid mud	1335 m^3 / 690 m^3
Fresh water / Bulk	381 m^3 / 297 m^3
Dynamic positioning	Class 2
FiFi system	Class 1
Accommodation	60 persons

150-T AHTSV / Under Construction
+A1, Offshore Support Vessel (Supply-HNLS, AH, TOW, FFV1, OSR-C1), SPS, Circle E, AMS, DPS-2, UWILD, GP

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Emergency Response and Recovery Vessel

BAKI

LOA	60 m
Breadth	13.8 m
Draft	5.8 m
Economical speed	10 knots
Maximum speed	14.25 knots
FiFi system	Class 1
Rescue boat / FRC	1 x 6.5 Avon Searider
Survivor seating	66 seats
Recovery area	2 recovery areas, total 26 berths
Treatment room	1
Accommodation	37 persons

Baki / Built 2006
Class DNV +1A1, Fire Fighter 1, EO

CASPIAN PROTECTOR

LOA	61.25 m
Breadth	16 m
Draft	4.5 m
Economical speed	10 knots
Maximum speed	14 knots
FiFi system	Class 1
Rescue boat / FRC	2
Survivor seating	66 seats
Recovery area	1 x 26 berths
Treatment room	1
Accommodation	39 persons

Caspian Protector / Built 2010
Class ABS +A1, +AMS, FiFi Vessel Class 1, DPS-1, safety-standby A-300

TOPAZ RESPONDER

LOA	50.9 m
Breadth	13 m
Draft	4 m
Economical speed	11.8 knots
Maximum speed	12.65 knots
FiFi system	Class 1
Rescue boat / FRC	1 x 6-person capacity Narwhal
Survivor seating	50 minimum
Recovery area	20 survivors approx
Treatment room	Area not less than 15 m2 w/ scuppers
Accommodation	32 persons

Topaz Responder / Built 2015
Lloyds +100A1 Standby Ship, [+]LMC, DP(AM), UMS, IWS, FiFi 1

TULPAR

LOA	94.2 m
Draft	3.9 m
Economical speed	11 knots
Maximum speed	14 knots
FiFi system	Class 1
Rescue boat / FRC	2
Davit	2
Life rafts	6 x 16 persons, 4 x 20 persons
Life jackets	92
Immersion suits	88
Accommodation	20 persons

Tulpar / Built 2003
1A1 Supply Vessel SF, EO, ICE-1A*F, Fire Fighter 1, DK (+) & HL (2.3)

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Multi-Purpose Support Vessels

DMS CHALLENGER

LOA	57.5 m
Draft	4.5 m
BHP	3000 bhp
Deck area / Cargo	376 m^2 / 500 t
Fuel / Liquid mud	451 m^3 / 162 m^3
Fresh water	199 m^3
Bulk	187 m^3
Crane	Sormec Marine Telescopic Boom Crane - M460 / 3S SWL: 18 t @ 7.5 m
FiFi system	Class 1
Accommodation	54 persons

DMS Challenger / Built 2004
Class ABS +A1, FiFi Vessel Class 1, OSV, (E), AMS

DMS CHALLENGER II

LOA	57.5 m
Draft	4.5 m
BHP	4000 bhp
Deck area / Cargo	376 m^2 / 500 t
Fuel / Liquid mud	451 m^3 / 162 m^3
Fresh water	199 m^3
Bulk	187 m^3
Crane	Sormec Marine Crane M460/4S SWL: 20 t @ 12 m, 4.5 t @ 36.5 m
FiFi system	Class 1
Accommodation	52 persons

DMS Challenger II / Built 2005
Class ABS +A1, FiFi Vessel Class 1, OSV, (E), AMS

DMS CHALLENGER III

LOA	57.5 m
Draft	4.5 m
BHP	4000 bhp
Deck area / Cargo	376 m^2 / 500 t
Fuel / Liquid mud	451 m^3 / 162 m^3
Fresh water	199 m^3
Bulk	187 m^3
Crane	Sormec Marine Telescopic Boom Crane - M460 / 3S SWL: 18 t @ 7.5 m
FiFi system	Class 1
Accommodation	56 persons

DMS Challenger III / Built 2005
Class ABS +A1, FiFi Vessel Class 1, OSV, (E), AMS

TOPAZ ARROW

LOA	60 m
Draft	4.1 m
BHP	4800 bhp
Deck area	350 m^2
Cargo	500 t
Fuel	535 m^3
Fresh water	155.5 m^3
Crane	1 x TTS Norlift / GPS 630-4515, SWL 45 t @ 6 m
Dynamic positioning	DP Class 2, Kongsberg K-POS 21 dual redundant DP system
Accommodation	56 persons

Topaz Arrow / Built 1999
Class ABS +A1, Circle E, +AMS, +DPS 2

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Multi-Purpose Support Vessels

TOPAZ CAPTAIN

LOA	92.4 m
Draft	6.2 m
BHP	6250 bhp
Deck area / Cargo	880 m^2 / 2600 t
Fuel	1212 m^3
Liquid mud	669 m^3
Fresh water	985 m^3
Brine	863 m^3
Crane	TTS Norlift / GPCFO 2500-10040
Dynamic positioning	Class 2, Kongsberg Simrad
Accommodation	144 persons

Topaz Captain / Built 2001
Class DNV-GL +1A1, DYNPOS (AUTR), EO, HELD (H,S), HL (2.8), OILREC SF

TOPAZ COMMANDER

LOA	84 m
Draft	6.3 m
BHP	9600 bhp
Deck area / Cargo	840 m^2 / 1800 t
Fuel / Liquid mud	1125 m^3 / 504 m^3
Fresh water	1104 m^3
Bulk	400 m^3
Crane	Knuckle Boom Active Heave Compensation Crane - 25m outreach single line: 35t / 15m outreach single line: 50t / 10m outreach double line: 100t
Dynamic positioning	Class 2, Kongsberg Simrad SDP 21
Accommodation	76 persons

Topaz Commander / Built 1999
Class ABS +A1, AMS, ACCU, DPS-2

TOPAZ INSTALLER

One of only 5 cable-lay vessels in the world featuring a horizontal carousel

LOA	88.2 m
Draft	4.5 m
BHP	7800 bhp
Deck area	400 m^2
Turntable / Carousel	3600 t
Crane	TTS, Model GPOKAC 2000-35-30, Knuckle boom active heave compensation crane SWL: 35 tonnes @ 5-30 metres
Dynamic positioning	DP Class 2
Accommodation	72 persons

Topaz Installer / Built 1999 / Upgraded 2012
Class DNV-GL +1A1, Cable Laying Vessel, DYNPOS AUTR

TOPAZ RAYYAN

LOA	70 m
Draft	6.1 m
BHP	8160 bhp
Deck area / Cargo	500 m^2 / 800 t
Fuel / Liquid mud	1250 m^3 / 490 m^3
Fresh water / Bulk	387 m^3 / 226 m^3
Crane	Sormec Marine Crane - M460 / 4S SWL: 20 t @ 12 m
Dynamic positioning	Class 2, Marine Technology Bridge Mate
FiFi system	Class 1
Accommodation	72 persons

Topaz Rayyan / Built 2005
Class ABS +A1, Fire Fighting Vessel Class 1, OSV, (E), +AMS, +DPS-2

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Multi-Purpose Support Vessels

TOPAZ RESOLVE

LOA	51 m
Draft	4 m
Main engines	2 x Caterpillar 3512B, 1425 bkW @ 1600 rpm
Deck area	166 m² approx.
Fuel	259.4 m³
Fresh water	185.4 m³
Crane	1 x Offshore Crane 25T @8m (Sea State 2), 18T @ 8m (Sea State 4), 12.5T at 17m (Sea State 4)
Dynamic positioning	IMO DP2
Accommodation	56 persons

Topaz Resolve
ABS A1, Offshore Support Vessel, Supply, AMS, ACCU, DPS-2,IHM, UWILD, HDC 7.5 ton/m2 from Aft to fr. 5, 5 ton/m2 from fr. 5 to fr. 36 Main Deck

TOPAZ TIAMAT / TOPAZ TANGAROA (UNDER CONSTRUCTION)

LOA	98.1 m
Breadth moulded	20 m
Depth to main deck	8.5 m
Max draught	6 m
Deck area / Cargo	1000 m² / 1400 t
Fuel	1600 m³
Fresh water	600 m³
Crane	120t AHC offshore crane
Dynamic positioning	Class 2
Accommodation	82 persons

Topaz Tiamat / Topaz Tangaroa
+A1, Offshore Support Vessel (Supply-HNLS, AH, TOW, FFV1, OSR-C1), SPS, Circle E, AMS, DPS-2, UWILD, GP

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Platform Supply Vessels

CASPIAN PRIDE

LOA	73.6 m
Draft	5.84 m
DWT	3250 t
Deck area / Cargo	618 m^2 / 1500 t
Fuel	1000 m^3
Liquid mud	980 m^3
Fresh water	650 m^3
Bulk	318.56 m^3
Dynamic positioning	Class 2, MT Bridgemaster DP2
FiFi system	Class 1
Accommodation	25 persons

Caspian Pride / Built 2005
Class DNV +1A1-SF-EO-Clean, DYNPOS-AUT, DYNPOS DP2, AUTR

CASPIAN PROVIDER

LOA	73.6 m
Draft	5.9 m
DWT	3179 t
Deck area / Cargo	868 m^2 / 1370 t
Fuel	827.1 m^3
Liquid mud	598.8 m^3
Fresh water	819 m^3
Bulk	320.5 m^3
Dynamic positioning	Class 2, Rolls Royce ICON DP2
FiFi system	Class 1
Accommodation	40 persons

Caspian Provider / Built 2011
Class DNV +1A1-SF-COMF-V(3)ED, DYNPOS AUTR,
Clean Dk+HL (2.8)

CASPIAN QALA

LOA	73.6 m
Draft	5.84 m
DWT	3286 t
Deck area / Cargo	680 m^2 / 1530 t
Fuel	950 m^3
Liquid mud	990 m^3
Fresh water	800 m^3
Bulk	320 m^3
Dynamic positioning	Class 2, Rolls Royce ICON DP2
FiFi system	Class 1
Accommodation	20 persons

Caspian Qala / Built 2008
Class DNV +1A1-SF-EO-Clean, DYNPOS-AUT, DYNPOS DP2, AUTR

CASPIAN SERVER

LOA	73.6 m
Draft	5.82 m
DWT	3286 t
Deck area	680 m^2
Cargo	1530 t
Fuel	869 m^3
Liquid mud	596 m^3
Fresh water	800 m^3
Dynamic positioning	Class 2, Rolls Royce ICON DP2
FiFi system	Class 1
Accommodation	22 persons

Caspian Server / Built 2007
Class DNV +1A1-SF-EO-Clean, Conf-V(3) Dk(+),
HL (2.8) DYNPOS AUTR

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Platform Supply Vessels

CASPIAN SUPPLIER

LOA	76.6 m
Draft	5.8 m
DWT	3300 t
Deck area	710 m^2
Cargo	1600 mt
Fuel	974 m^3
Liquid mud	993 m^3
Fresh water	916 m^3
Dynamic positioning	Class 2, Kongsberg DP2
Accommodation	16 persons

Caspian Supplier / Built 2014
Class DNV +1A1, HL + (2.5), DK+, SF, EO, Clean, AUTR, TMON, Comfort V3

CASPIAN VOYAGER

LOA	79.45 m
Draft	6 m
DWT	3917 t
Deck area / Cargo	680 m^2 / 1530 t
Fuel	1483 m^3
Liquid mud	1062 m^3
Fresh water	1000 m^3
Bulk	216 m^3
Dynamic positioning	Class 2, Kongsberg
FiFi system	Class 1
Accommodation	30 persons

Caspian Voyager / Built 2006
Class ABS +A1 (E) OSV, +AMS, +ACCU, +DPS-2, +FFV Class 1, Enviro, UWILD, GP, Oil Recovery Capability Class 2

CITADEL

LOA	72 m
Draft	5.8 m
DWT	3300 t
Deck area / Cargo	680 m^2 / 1530 t
Fuel	1000 m^3
Liquid mud	169.9 m^3
Fresh water	823 m^3
Bulk	318.56 m^3
Dynamic positioning	Class 2, NMS 6000 Nautronix / L3
FiFi system	Class 1
Accommodation	47 persons

Citadel / Built 2006
Class DNV +1A1, SF, EO, DYNPOS-AUTR, DK(+) HL(2.5)

DMS CONQUEROR

LOA	57.5 m
Draft	4.5 m
DWT	1350 t
Deck area / Cargo	352 m^2 / 700 t
Fuel	369 m^3
Liquid mud / MEG	254 m^3
Fresh water	200 m^3
Bulk	187 m^3
Crane	Crane Tadano Telescopic Boom Crane M-500 / SWL 18 tonnes @ 5.5 m radius, 1.98 tonnes @ 22 m radius
FiFi system	Class 1
Accommodation	54 persons

DMS Conqueror / Built 2002
Class ABS, +A1, Fire Fightiing Vessel Class 1, OSV, (E), +AMS

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

Platform Supply Vessels

DMS COURAGEOUS

LOA	70 m
Draft	6.1 m
DWT	2700 t
Deck area / Cargo	600 m^2 / 800 t
Fuel	1182 m^3
Liquid mud	463 m^3
Fresh water	403 m^3
Bulk	204 m^3
Dynamic positioning	Class 1, Kongsberg K-Pos
FiFi system	Class 1
Accommodation	26 persons

DMS Courageous / Built 2007
Class ABS + A1, FiFi Vessel Class 1, OSV, (E), AMS, +DPS-1

FORTRESS

LOA	72 m
Draft	5.8 m
DWT	3300 t
Deck area / Cargo	680 m^2 / 1500 t
Fuel	1000 m^3
Liquid mud	950 m^3
Fresh water	800 m^3
Bulk	318.56 m^3
Dynamic positioning	Class 1, NMS 6000 DP1
FiFi system	Class 1
Accommodation	23 persons

Fortress / Built 2005
Class DNV +1A1, SF, EO, DYNPOS-AUT, DK(+) HL(2.5)

TOPAZ DAUGHTER CLASS (AMANI / FAYE / ISRA / MEGAN / SEEMA / SOPHIE / XARA)

LOA	75 m
Draft	6.5 m
DWT	3300 t
Deck area / Cargo	700 m^2 / 1200 t
Fuel	700 m^3 approx.
Liquid mud	740 m^3 approx.
Fresh water	560 m^3 approx.
Bulk	226 m^3 approx.
Dynamic positioning	Class 2
FiFi system	Class 1
Accommodation	48 persons

Topaz Amani / Faye / Isra / Seema / Sophie / Xara / Built 2013
Class ABS +A1 (E) OSV, Fire Fighting Vessel Class 1, HNLS,
OSR-C, +AMS, ACCU, DPS-2, SPS notation

If you require a full specification sheet for any of the vessels in the Topaz Marine Fleet, please contact the Commercial team.

CONTACT
Commercial Department
Topaz Energy and Marine
Level 58, Almas Tower, Jumeirah Lakes Towers
P.O. Box 282800, Dubai, UAE
Tel +971 4 440 47 00
Fax +971 4 440 47 99
Email commercial.topaz@topazworld.com

TOPAZ MARINE CASPIAN
BUE Caspian Limited
5th Floor, ISR Plaza Business Centre
69 Nizami Street, Baku
AZ1005 Azerbaijan
Tel +994 124 97 87 67
Fax +994 124 97 25 96
Email commercial.caspian@topaz-marine.com

BUE Kazakhstan Limited
2nd Floor, Building 80, Micro Region 14
P.O. Box 130000, Aktau
Republic of Kazakhstan
Tel +7 7292 42 82 72
Fax +7 7292 42 82 77
Email commercial.caspian@topaz-marine.com

BUE Marine Turkmenistan Limited
Bitarap Turkmenistan Shayoly 231,
Oguzkent Hotel Business Centre,
Office 401, Ashgabat, Turkmenistan
Tel +993 12 44 99 38
Fax +993 12 44 99 39
Email commercial.caspian@topaz-marine.com

Topaz Astrakhan Limited
7, Turgeneva str, 2nd Floor
Tel +7 8512 23 80 72
Fax +7 8512 23 80 72
Email commercial.caspian@topaz-marine.com

TOPAZ MARINE MENA
Doha Marine Services WWL
P.O. Box 37102, 4th Floor, Faisaliyah Building
Suhaim Bin Hamad Street, Al Saad Area
Doha, State of Qatar
Tel +974 4410 48 00
Fax +974 4447 94 73
Email commercial.mena@topaz-marine.com

Topaz Marine Saudi Arabia Co Ltd.
P.O. Box 4905, Al Jarbou Tower, 9th Floor,
Office 902
Dhahran Street
Al Khobar 31952, Kingdom of Saudi Arabia
Tel +966 13 835 36 30
Fax +966 13 833 41 58
Email commercial.mena@topaz-marine.com

TOPAZ MARINE AFRICA
Topaz Marine Angola
138 Ilha do Cabo
Avenida Murtala Mohammed
Luanda, Angola
Tel +244 222 7250 55
Email commercial.africa@topaz-marine.com

Topaz Marine Nigeria
3rd Floor, Atlantic House
121 Louis Solomon Close, Ahmadu Bello Way
Victoria Island, Lagos, Nigeria
Email commercial.africa@topaz-marine.com

All the details are believed to be correct but not guaranteed
and owners reserve the right to amend them.